

Kædehjul og Ringe



| Pitch | Tandantal | incl.nåleleje | Højde | ID: | D. u/ bøsning | DRIVHJUL | KÆDERING | DRIVHJUL |
|---|-----------|---------------|-------|------|------------------|---------------|-------------|---------------|
| ALPINA-CASTOR-STIGA | | | | | | | | |
| 070-A70-A90-CP90-CP120 | | | | | | | | |
| 3/8" | 8 | - | 33,8 | 79,5 | C=18,8 | - | - | 2503ZK111-A8 |
| 330-380-432-438-482-SILVER 40 | | | | | | | | |
| 3/8"LP | 6 | N | 23,7 | 56,9 | C=12,7 D=10,0 | - | - | 2503ZKN114-M6 |
| P400 - P450 - P500 | | | | | | | | |
| .325 | 7 | N | 25,3 | 68,5 | C=13,9 | 25031708311 | 2503CASRK27 | - |
| 700-800 | | | | | | | | |
| 3/8" | 7 | - | 26,3 | 78,5 | C=16,00 | - | 2503CASRA17 | - |
| A40-A40E-PROF 41/45/55/65 | | | | | | | | |
| .325 | 7 | N | 26,5 | 69,0 | C=15,7 D=13,1 | 25031708311 | 2503CASRK27 | - |
| .325 | 8 | N | 26,5 | 69,0 | C=15,7 D=13,1 | 2503ZKN110-25 | 2503CASRK28 | - |
| DOLMAR-SACHS | | | | | | | | |
| 100, 102, 33, 340, 341, 342, 344, 400, 401, 410, 411, PS42 | | | | | | | | |
| 3/8LP | 6 | B | 25,4 | 63,2 | C=13,6 D10,3 | - | - | 2503ZK363-A6 |
| 103-105-108 | | | | | | | | |
| .325 | 8 | N | 28,0 | 69,3 | C=11,8 D=8,4 | - | - | 2503ZKN363-L8 |
| 109-110-111-115 | | | | | | | | |
| 3/8"LP | 6 | - | 28,0 | 75,3 | C=14,95 | 2503ZK366-24 | 2503CASRA17 | - |
| 112-113-114-116-117-119-120 | | | | | | | | |
| 3/8" | 7 | N | 23,6 | 76,0 | C=17,8 | 2503ZK364-11 | 2503CASRA17 | 25031708280 |
| 152-153-163-166 | | | | | | | | |
| .404 | 8 | - | 33,9 | 82,2 | C17,9 | - | - | 2503ZK365-B8 |
| CA-122(SL)- 123-133-143 - PS6000I - PS6800I - PS9000 - PS9010 | | | | | | | | |
| 3/8" | 8 | - | 31,4 | 69,5 | C17,9 | - | - | 2503ZK360-A8 |
| .404 | 8 | - | 31,4 | 69,5 | C17,9 | - | - | 2503ZK360-B8 |
| ECHO | | | | | | | | |
| C60-60S-CS0S | | | | | | | | |
| 3/8" | 7 | - | 28,7 | 69,6 | C=16,8 | - | - | 2503ZK353-A7 |
| CS280 (WITHOUT Brakes) - CS290-CS300 - CS328 - CS2800 - CS2900 | | | | | | | | |
| 3/8"LP | 6 | - | 22,2 | 59,7 | C=10,9 | - | - | 2503ZK358-M6 |
| CS3000-C3400-CS3450 | | | | | | | | |
| 3/8"LP | 6 | - | 22,2 | 59,8 | C=13,0 | - | - | 2503ZK359-M6 |
| CS301-Cs302-CS315-CS360-CS351VL-CS330-CS330EVL | | | | | | | | |
| 3/8"LP | 6 | - | 22,2 | 69,6 | C=11,2 | - | - | 2503ZK354-M6 |
| CS451-CS452-CS500-CS510-CS550-CS610-CS650-CS660 | | | | | | | | |
| 3/8" | 7 | - | 23,6 | 77,7 | C=13,8 | 2503ZK355-11 | 2503CASRA17 | - |
| 3/8" | 7 | - | 23,6 | 77,7 | C=13,8 | - | - | 2503ZK355-A7 |
| C601 - CS602-CS602VL- CS701- CS702VL-CS750EVL - CS6700 | | | | | | | | |
| 3/8" | 7 | - | 27,6 | 77,3 | C=13,8 | - | 2503CASRA17 | 2503ZK356-A7 |
| .404 | 7 | - | 27,6 | 77,3 | C=13,8 | - | 2503CASRB17 | - |
| CS801-VS802(S)-CS901A | | | | | | | | |
| .404 | 7 | - | 29,3 | 75,9 | C=16,8 | - | - | 2503ZK351-B7 |
| CS900-CS1001 | | | | | | | | |
| 3/8" | 7 | - | 31,2 | 79,4 | C=17,9 | - | 2503CASRA17 | - |
| HUSQVARNA | | | | | | | | |
| 50-51-66 -133-154-254-257-262-RANCHER 50/51/55 | | | | | | | | |
| .325 | 7 | N | 26,5 | 69,0 | C=15,7 D=13,1 | 25031708311 | 2503CASRK27 | 2503ZKN110-L7 |
| .325 | 8 | N | 26,5 | 69,0 | C=15,7 D=13,1 | 2503ZKN110-25 | 2503CASRK28 | - |
| 140-240-240SE-240SG-340-440-P44-444-P40 | | | | | | | | |
| .325 | 7 | N | 25,9 | 68,1 | C=15,9 D=11,5 | 2503ZKN303-24 | 2503CASRK27 | - |
| 185-285-1100CD-2100-2100XP-2101XP-181-185-281-288-298-394-395 | | | | | | | | |
| 3/8" | 7 | N | 33,7 | 78,5 | C=18,7 D=14,2 | 2503ZKN304-11 | 2503CASRA17 | - |
| 3/8" | 8 | N | 33,7 | 78,5 | C=18,7 D=14,2 | 2503ZKN302-12 | 2503CASRA18 | - |
| .404 | 7 | N | 33,7 | 78,5 | C=18,7 D=14,2 | 2503ZKN302-13 | 2503CASRB17 | - |

Kædehjul og Ringe



| Pitch | Tandantal | incl.nåleleje | Højde | ID: | D. u/ bøsning | DRIVHJUL | KÆDERING | DRIVHJUL |
|--|-----------|---------------|-------|------|-------------------|---------------|-------------|---------------|
| HUSQVARNA (Fortsat) | | | | | | | | |
| 254/262 (before n: 3450001) - 257 (before n : 3140001) | | | | | | | | |
| .325 | 7 | - | 29,7 | 68,3 | C=15,9 | - | 2503CASRK27 | - |
| .325 | 8 | - | 29,7 | 68,3 | C=15,9 | - | 2503CASRK28 | - |
| 3/8 | 7 | - | 29,7 | 68,3 | C=15,9 | - | 2503CASRA27 | - |
| 3/8" | 7 | - | 29,7 | 68,3 | C=17,0 D=13,0 | - | 2503CASRA27 | - |
| 340,345,346XP,350,351-353-355-357-359-2141 | | | | | | | | |
| .325 | 7 | N | 27,7 | 69 | C=15,9 | - | 2503CASRK27 | - |
| 33-34-35-36-37-38-41-136-141 | | | | | | | | |
| .325 | 7 | N | 26,5 | 63,1 | C=13,0 | 2503ZK266-24 | 2503CASRK27 | - |
| 40-45-49 | | | | | | | | |
| .325 | 7 | N | 26,5 | 63,1 | C=15,8 D=13,0 | 2503ZKN265-24 | 2503CASRK27 | - |
| 42-133-234-238-242(BEFORE) | | | | | | | | |
| .325 | 7 | N | 25,0 | 63,1 | C=15,1 D=11, | 2503ZKN268-24 | 2503CASRK27 | - |
| A65-L65-A77-160-163-180S-260-262-263-272-280S-380S-380CD-480-2101 | | | | | | | | |
| 3/8" | 7 | N | 35,7 | 78,5 | C=17,3 D=13 | 2503ZKN301-11 | 2503CASRA17 | - |
| 3/8" | 8 | N | 35,7 | 78,5 | C=17,3 D=13 | 2503ZKN301-12 | 2503CASRA18 | - |
| .404 | 7 | N | 35,7 | 78,5 | C=17,3 D=13 | 2503ZKN301-13 | 2503CASRB17 | - |
| 3/8LP | 6 | N | 22,1 | 58,3 | C=12,7 D=10,3 | - | - | 2503ZKN217-M6 |
| JONSERED | | | | | | | | |
| 1020 | | | | | | | | |
| 3/8" | 7 | N | 37,4 | 73,8 | C=18 D=14,5 | 2503ZKN197-11 | 2503CASRA17 | - |
| 2036-2040 | | | | | | | | |
| .325 | 7 | N | 27,2 | 63,1 | C=13,0 | 2503ZKN265-24 | 2503CASRK27 | - |
| 2041-2045-2050-2063-2141-2150-2151-2159 | | | | | | | | |
| .325 | 7 | N | 26,5 | 63,1 | C=15,8 D12,8 | 2503ZKN265-24 | 2503CASRK27 | - |
| 2063-2065-2071 | | | | | | | | |
| 3/8" | 7 | N | 28,0 | 78,6 | C=16 | - | - | 2503ZKN306-A7 |
| 2095 | | | | | | | | |
| 3/8" | 7 | N | 33,7 | 78,5 | C=18,7 D=14,2 | - | 2503CASRA17 | - |
| 3/8" | 8 | N | 33,7 | 78,5 | C=18,7 D=14,2 | 2503ZKN302-12 | 2503CASRA18 | - |
| .404 | 7 | N | 33,7 | 78,5 | C=18,7 D=14,2 | 2503ZKN302-13 | 2503CASRB17 | - |
| 45-M50-M50AV-M51-M52-52E-M521-451E-451EY-49SP | | | | | | | | |
| .325 | 8 | N | 25,7 | 74,9 | C=15,8 D=13,10 | 2503ZKN260-25 | 2503CASRK28 | - |
| 490-590 | | | | | | | | |
| .325 | 7 | N | 26,5 | 69,0 | C=15,7 D=13,1 | 25031708311 | 2503CASRK27 | - |
| .325 | 8 | N | 26,5 | 69,0 | C=15,7 D=13,1 | 2503ZKN110-25 | 2503CASRK28 | - |
| 630-630S-670-625 | | | | | | | | |
| 3/8" | 7 | N | 32,0 | 78,2 | C=17,7 D=13,0 | 2503ZKN304-11 | 2503CASRA17 | - |
| 3/8" | 8 | N | 32,0 | 78,2 | C=17,7 D=13 | 2503ZK263-12 | 2503CASRA18 | - |
| 820-830-910-920(SUPER)-920S-930(SUPER) | | | | | | | | |
| 3/8" | 7 | - | 31,0 | 78,6 | C=18,9 | - | 2503CASRA17 | - |
| 3/8" | 8 | - | 31,0 | 78,6 | C=18,9 | 2503ZK263-12 | 2503CASRA18 | - |
| .404. | 7 | - | 31,0 | 78,6 | C=18,9 | - | 2503CASRB17 | - |
| J35-36-361-361AV-361DLX-365-370-380 | | | | | | | | |
| 3/8"LP | 6 | N | 22,1 | 58,3 | C=12,7 D=10,3 | - | - | 2503ZKN217-M6 |
| MAKITA | | | | | | | | |
| DC430-DC520-DC620-DC4300I-DCS3200 | | | | | | | | |
| 3/8" LP | 7 | | 28,0 | 75,3 | C=14,6 | - | - | 2503ZKN363-M7 |
| DCS200-DCS6000-DCS6800(i) | | | | | | | | |
| 3/8" | 7 | N | 23,6 | 76,0 | C=17,8 | 2503ZK364-11 | 2503CASRA17 | - |

Kædehjul og Ringe



| Pitch | Tandantal | incl.nåleleje | Højde | ID: | D. u/ bøsning | DRIVHJUL | KÆDERING | DRIVHJUL |
|--|-----------|---------------|-------|------|------------------|---------------|---------------|---------------|
| MC CULLOGH | | | | | | | | |
| D44-SUPER44(A)-1,7/1/2/4/5/6-105-125-200-250-300-380-440-450-550-740-790-795-797-CP125(S)-SP125 | | | | | | | | |
| .404 | 7 | N | 38,8 | 78,5 | C=18,3 D15,2 | 2503ZKN175-13 | 2503CASRB17 | - |
| MAC15-D30/36-1,10/1/2/3/4/5/6/-1,5/1/2/3-200-250 | | | | | | | | |
| 3/8" | 8 | B | 38,8 | 78,5 | C=18,3 D=15,2 | - | 2503CASRA18 | - |
| .404 | 7 | B | 38,8 | 78,5 | C=18,3 D15,2 | - | 2503CASRB17 | - |
| MINI MAC6/25/30/35-POWER MINI MAC35-MAC6(A)/110/140/3214/3216/3516/3818/-POWER MAC 310/340/365/480 PROMAC3205/3805 SUPER PRO 40-TITAN7/35/40-PM360/480/484-MAC120/310/838 EQUIPPED WITH CHIANE BRAKE | | | | | | | | |
| 3/8" LP | 6 | N | 26,8 | 69,6 | C=14 D=10,3 | - | - | 2503ZKN177-M6 |
| MINI MAC 6/25/30/35-POWER MINI MAC6(A)/110/140/3214/3216/3818 | | | | | | | | |
| POWER MAC 310/340/365/480-PROMAC3205/3805-SUPER PRO40-TITAN7/35/40 | | | | | | | | |
| 3/8" | 6 | N | 24,7 | 69,6 | C=14 D=10,3 | - | - | 2503ZKN177-M6 |
| OLEO MAC | | | | | | | | |
| 250(A/AS)-251(SUPER)- 252-254-264STANDARD- 350-355 | | | | | | | | |
| 3/8" | 7 | - | 28,5 | 68,9 | C=14,9 | - | - | 2503ZK045-A7 |
| .325 | 8 | - | 28,5 | 68,9 | C=14,9 | - | - | 2503ZK045-L8 |
| 260-261-271-272-280-281-284-400-460AS-461-480AS-481-482-484 | | | | | | | | |
| 3/8" | 8 | N | 31,4 | 78,4 | C=18,9 D15,5 | - | - | 2503ZKN262-A8 |
| 264 DELUXE | | | | | | | | |
| 3/8" | 7 | - | 27,9 | 68,6 | C=13,9 | - | 2503CASRA17 | - |
| PARTNER | | | | | | | | |
| 350-365-405 | | | | | | | | |
| .325 | 7 | N | 27,2 | 63,1 | C=13,0 | 2503ZK266-24 | 2503CASRK27 | - |
| 340-400-500-545-5000-P48-P49-P499V-P5000 | | | | | | | | |
| .325 | 7 | N | 26,5 | 69,0 | C=15,7 D=13,0 | 25031708311 | 2503CASRK27 | - |
| .325 | 8 | N | 26,5 | 69,0 | C=15,7 D=13,0 | 2503ZKN110-25 | 2503CASRK28 | - |
| MINI P (A)/2/3-MINI 22-330-350-1612-1613-1614-1616 | | | | | | | | |
| 3/8"LP | 6 | N | 22,1 | 58,3 | C=12,7 D=10,3 | - | - | 2503ZKN217-M6 |
| R16/17/18/19/20/21/201/240/420/421T/720/421T-F55/65-P70-417-517-S20/50/55/65-321-7000 | | | | | | | | |
| 3/8" | 7 | N | 37,4 | 73,8 | C=18,0 D=14,5 | 2503ZKN197-11 | 2503CASRA17 | - |
| R30/35/40/435/440-P18/85/100 | | | | | | | | |
| 3/8" | 7 | N | 36,1 | 78,5 | C=17,9 D=14,2 | 2503ZKN198-11 | 2503CASRA17 | - |
| .404 | 7 | N | 36,1 | 78,5 | C=17,9 D=14,2 | 2503ZKN197-13 | 2503ZK400-7-1 | - |
| SHINDAIWA | | | | | | | | |
| 305-345-346-350-355 | | | | | | | | |
| 3/8" | 7 | - | 31,2 | 68,1 | C=13,0 | - | - | 2503ZK242-M7 |
| 350-405-406-407-410-415-416-440-450-451-480-485-500 | | | | | | | | |
| .325 | 7 | - | 32,7 | 67,9 | C=13,0 | - | - | 2503ZK240-L7 |
| 400-488 | | | | | | | | |
| .325 | 7 | - | 30,0 | 71,7 | C=13,0 | - | 2503CASRK27 | - |
| 550-575-580-680-685-695 | | | | | | | | |
| 3/8" | 7 | - | 31,2 | 78,0 | C=17,0 | - | 2503CASRA17 | - |
| 3/8" | 7 | - | 31,2 | 78,0 | C=17,0 | - | - | 2503ZK244-A7 |
| SKILL | | | | | | | | |
| 1620-1622-1624-1634-1636 | | | | | | | | |
| 3/8" | 6 | B | 25,7 | 63,1 | C=13,6 D=10,3 | - | - | 2503ZKB244-M6 |
| 1635 - 1636U | | | | | | | | |
| 3/8" LP | 6 | N | 22,1 | 58,3 | C=12,7 D=10,3 | - | - | 2503ZKB225-M6 |
| 310-944-1600/1/2/3-1610/1/2 ELECTRIC/3/4/6- 1700/6/12 | | | | | | | | |
| 3/8"LP | 6 | N | 22,1 | 58,3 | C=12,7 D=10,3 | - | - | 2503ZKN217-M6 |

Kædehjul og Ringe



| Pitch | Tandantal | incl.nåleleje | Højde | ID: | D. u/ bøsning | DRIVHJUL | KÆDERING | DRIVHJUL |
|--|-----------|---------------|-------|------|------------------|---------------|-------------|---------------|
| STIHL | | | | | | | | |
| 017-018-019-021-023-025-MS170/180/190/210/230/250 | | | | | | | | |
| .325 | 7 | - | 28,8 | 65,3 | C=12,8 | 2503ZK084-24 | 2503CASRK27 | - |
| .325 | 8 | - | 28,8 | 65,3 | C=12,8 | 2503ZK084-25 | 2503CASRK28 | - |
| 3/8"LP | 6 | N | 28,8 | 65,3 | C=12,8 | - | - | 2503ZK084-M6 |
| 024-MS260(after n° X25809074) | | | | | | | | |
| .325 | 7 | N | 28,8 | 69,5 | C=12,8 | 2503ZK085-24 | 2503CASRK27 | 2503ZK085-L7 |
| .325 | 8 | - | 28,8 | 69,5 | C=12,8 | - | 2503CASRK28 | 2503ZK085-L8 |
| 024-026 (before n° X25809074) NEW | | | | | | | | |
| .325 | 7 | N | 38,1 | 68,8 | C=12,8 | 2503ZK191-24 | 2503CASRK27 | 2503ZK190-L7 |
| 028 (after n° 8991531) | | | | | | | | |
| .325 | 7 | N | 38,1 | 68,8 | C=12,8 | - | - | 2503ZK190-L7 |
| 030-031-032-040-041 (after n° 5664891) | | | | | | | | |
| 3/8" | 7 | - | 30,7 | 68,8 | C=14,8 | 2503ZK183-11 | 2503CASRA17 | - |
| 038 (na nr. / après n° 8421500) | | | | | | | | |
| 3/8" | 7 | - | 41,6 | 71,1 | C=15,9 | - | - | 2503ZK192-A7 |
| 041 (AV)- 041 AVE (sprocket without holes for grease pump) (before n° 5664891) | | | | | | | | |
| 3/8" | 7 | - | 28,5 | 72,8 | C=14,8 | 2503ZK045-11 | 2503CASRA17 | 2503ZK045-A7 |
| 044-046 | | | | | | | | |
| 3/8" | 7 | N | 28,7 | 76,1 | C=15,9 | - | 2503CASRA17 | 2503ZK086-A7 |
| 3/8" | 8 | - | 28,7 | 76,1 | C=15,9 | - | 2503CASRA18 | - |
| 050-051-075-076 | | | | | | | | |
| .404 | 7 | - | 35,3 | 85,6 | C=17,0 | 2503ZK184-13 | 2503CASRB17 | - |
| 064-066 | | | | | | | | |
| 3/8" | 7 | - | 33,0 | 81,7 | C=15,9 | 2503ZK082-11 | 2503CASRA17 | 2503ZK082-A7 |
| .404 | 7 | - | 40,7 | 78,1 | C=18,0 | 2503ZK082-13 | 2503CASRB17 | - |
| 070-06(S)- CONTRA | | | | | | | | |
| .404 | 7 | - | 40,7 | 78,1 | C=18,0 | 2503ZK185-13 | 2503CASRB17 | 2503ZK185-B7 |
| 084 | | | | | | | | |
| .404 | 7 | - | 34,0 | 86,7 | C=17,0 | 2503ZK083-B7 | 2503CASRB17 | 2503ZK083-B7 |
| TANAKA | | | | | | | | |
| 351-356-370-ECS415 | | | | | | | | |
| 3/8"LP | 6 | N | 23,7 | 65,5 | C=13,0 | - | - | 2503ZK400-M6 |
| ECV 5501 | | | | | | | | |
| .325 | 7 | N | 26,5 | 69,0 | C=15,7 D=13,0 | 25031708311 | 2503CASRK27 | 2503ZKN110-L7 |
| .325 | 8 | N | 26,5 | 69,0 | C=15,7 D=13,0 | 2503ZKN110-25 | 2503CASRK28 | - |