

# Kædehjul og Ringe



DRIVHJUL



KÆDERING



DRIVHJUL

## ALPINA-CASTOR-STIGA

<b>070-A70-A90-CP90-CP120</b>								
3/8"	8	-	33,8	79,5	C=18,8	-	-	111-A8
<b>330-380-432-438-482-SILVER 40</b>								
3/8"LP	6	N	23,7	56,9	C=12,7 D=10,0	-	-	N114-M6
<b>P400 - P450</b>								
.325	7	N	25,3	68,5	C=13,9	N110-24	325-7-2	-
<b>700-800</b>								
3/8"	7	-	26,3	78,5	C=16,00	-	3/8-7-1	-
<b>A40-A40E-PROF 41/45/55/65</b>								
.325	7	N	26,5	69,0	C=15,7 D=13,1	N110-24	325-7-2	-
.325	8	N	26,5	69,0	C=15,7 D=13,1	N110-25	325-8-2	-
<b>DOLMAR-SACHS</b>								
3/8LP	6	B	25,4	63,2	C=13,6 D10,3	-	-	B224-M6
<b>103-105-108</b>								
.325	8	N	28,0	69,3	C=11,8 D=8,4	-	-	N363-L8
<b>109-110-111-115</b>								
3/8"LP	6	-	28,0	75,3	C=14,95	-	3/8-7-1	-
<b>112-113-114-116-117-119-120</b>								
3/8"	7	N	23,6	76,0	C=17,8	N364-11	3/8-7-1	-
<b>152-153-163-166</b>								
.404	8	-	33,9	82,2	C17,9	-	-	365-B8
<b>CA-122(SL)- 123-133-143</b>								
3/8"	8	-	31,4	69,5	C17,9	-	-	360-A8
.404	8	-	31,4	69,5	C17,9	-	-	360-B8
<b>ECHO</b>								
<b>C60-60S-CS0S</b>								
3/8"	7	-	28,7	69,6	C=16,8	-	-	353-A7
<b>CS280 (WITHOUT Brakes) - CS290-CS300</b>								
3/8"LP	6	-	22,2	59,7	C=10,9	-	-	358-M6
<b>CS3000-C3400-CS3450</b>								
3/8"LP	6	-	22,2	59,8	C=13,0	-	-	359-M6
<b>CS301-Cs302-CS315-CS360-CS351VL-CS330-CS330EVL</b>								
3/8"LP	6	-	22,2	69,6	C=11,2	-	-	354-M6
<b>CS451-CS452-CS500-CS510-CS550-CS610-CS650-CS660</b>								
3/8"	7	-	23,6	77,7	C=13,8	355-11	3/8-7-1	-
3/8"	7	-	23,6	77,7	C=13,8	-	-	355-A7
<b>CS602-CS602VL-CS702VL-CS750EVL</b>								
3/8"	7	-	27,6	77,3	C=13,8	-	3/8-7-1	356-A7
.404	7	-	27,6	77,3	C=13,8	-	404-7-1	-
<b>CS801-VS802(S)-CS901A</b>								
.404	7	-	29,3	75,9	C=16,8	-	-	351-B7
<b>CS900-CS1001</b>								
3/8"	7	-	31,2	79,4	C=17,9	-	3/8-7-1	-
<b>HUSQVARNA</b>								
<b>133-154-254-262-RANCHER 50/51/55</b>								
.325	7	N	26,5	69,0	C=15,7 D=13,1	N110-24	325-7-2	-
.325	8	N	26,5	69,0	C=15,7 D=13,1	N110-25	325-8-2	-
<b>140-240-240SE-240SG-340-P44-444-P40</b>								
.325	7	N	25,9	68,1	C=15,9 D=11,5	N303-24	325-7-2	-
<b>185-285-110CD-2100-2100XP-2101XP-181-185-281-288-298-394-395</b>								
3/8"	7	N	33,7	78,5	C=18,7 D=14,2	N304-11	3/8-7-1	-
3/8"	8	N	33,7	78,5	C=18,7 D=14,2	N302-12	3/8-8-1	-
.404	7	N	33,7	78,5	C=18,7 D=14,2	N302-13	404-7-1	-

# Kædehjul og Ringe



DRIVHJUL



KÆDERING



DRIVHJUL

## HUSQVARNA (Fortsat)

254/262 (before n: 3450001) - 257 (before n: 3140001)								
.325	7	-	29,7	68,3	C=15,9	-	325-7-2	-
.325	8	-	29,7	68,3	C=15,9	-	325-8-2	-
3/8	7	-	29,7	68,3	C=15,9	-	3/8-7-2	-
3/8"	7	-	29,7	68,3	C=17,0 D=13,0	-	3/8-7-2	-
340,345,346XP,350,351 NEW								
.325	7	N	27,7	69	C=15,9	-	325-7-2	-
36-41-136-141								
.325	7	N	26,5	63,1	C=13,0	266-24	325-7-2	-
40-45								
.325	7	N	26,5	63,1	C=15,8 D=13,0	N265-24	325-7-2	-
42-133-234-238-242(BEFORE I								
.325	7	N	25,0	63,1	C=15,1 D=11,	N268-24	325-7-2	-
A65-L65-A77-160-163-180S-260-263-280S-380S-380CD-480								
3/8"	7	N	35,7	78,5	C=17,3 D=13	N301-11	3/8-7-1	-
3/8"	8	N	35,7	78,5	C=17,3 D=13	N301-12	3/8-8-1	-
.404	7	N	35,7	78,5	C=17,3 D=13	N301-13	404-7-1	-
3/8LP	6	N	22,1	58,3	C=12,7 D=10,3	-	-	N217-M6
JONSERED								
1020								
3/8"	7	N	37,4	73,8	C=18 D=14,5	N197-11	3/8-7-1	-
2036-2040								
.325	7	N	27,2	63,1	C=13,0	N265-24	325-7-2	-
2041-2045-2050								
.325	7	N	26,5	63,1	C=15,8 D12,8	N265-24	325-7-2	-
2063-2065-2071								
3/8"	7	N	28,0	78,6	C=16	-	-	N306-A7
2095								
3/8"	7	N	33,7	78,5	C=18,7 D=14,2	-	3/8-7-1	-
3/8"	8	N	33,7	78,5	C=18,7 D=14,2	N302-12	3/8-8-1	-
.404	7	N	33,7	78,5	C=18,7 D=14,2	N302-13	404-7-1	-
45-M50-M50AV-M51-M52-52E-M521-451E-451EY-49SP								
.325	8	N	25,7	74,9	C=15,8 D=13,10	N260-25	325-8-2	-
490-590								
.325	7	N	26,5	69,0	C=15,7 D=13,1	N110-24	325-7-2	-
.325	8	N	26,5	69,0	C=15,7 D=13,1	N110-25	325-8-2	-
630-630S-670-625								
3/8"	7	N	32,0	78,2	C=17,7 D=13,0	N304-11	3/8-7-1	-
3/8"	8	N	32,0	78,2	C=17,7 D=13	263-12	3/8-8-1	-
820-830-910-920(SUPER)-920S-930(SUPER)								
3/8"	7	-	31,0	78,6	C=18,9	-	3/8-7-1	-
3/8"	8	-	31,0	78,6	C=18,9	263-12	3/8-8-1	-
.404.	7	-	31,0	78,6	C=18,9	-	404-7-1	-
J35-36-361-361AV-361DLX-365-370-380								
3/8"LP	6	N	22,1	58,3	C=12,7 D=10,3	-	-	N217-M6
MAKITA								
DC430-DC520-DC620-DC4300I-DCS3200								
3/8" LP	7	-	28,0	75,3	C=14,6	-	-	N363-M7
DC5200-DCS6000-DCS6800(i)								
3/8"	7	N	23,6	76,0	C=17,8	364-11	3/8-7-1	-

# Kædehjul og Ringe



DRIVHJUL



KÆDERING



DRIVHJUL

## MC CULLOGH

D44-SUPER44(A)-1,7/1/2/4/5/6-105-125-200-250-300-380-440-450-550-740-790-795-797-CP125(S)-SP125

.404	7	N	38,8	78,5	C=18,3 D15,2	N175-13	404-7-1	-
------	---	---	------	------	--------------	---------	---------	---

MAC15-D30/36-1,10/1/2/3/4/5/6/-1,5/1/2/3-200-250

3/8"	8	B	38,8	78,5	C=18,3 D=15,2	-	3/8-8-1	-
------	---	---	------	------	---------------	---	---------	---

.404	7	B	38,8	78,5	C=18,3 D15,2	-	404-7-1	-
------	---	---	------	------	--------------	---	---------	---

MINI MAC6/25/30/35-POWER MINI MAC35-MAC6(A)/110/140/3214/3216/3516/3818/-POWER MAC 310/340/365/480 PROMAC3205/3805 SUPER PRO 40-TITAN7/35/40-PM360/480/484-MAC120/310/838 EQUIPPED WITH CHIANE BRAKE

3/8" LP	6	N	26,8	69,6	C=14 D=10,3	-	-	N177-M6
---------	---	---	------	------	-------------	---	---	---------

MINI MAC 6/25/30/35-POWER MINI MAC6(A)/110/140/3214/3216/3818

POWER MAC 310/340/365/480-PROMAC3205/3805-SUPER PRO40-TITAN7/35/40

3/8"	6	N	24,7	69,6	C=14 D=10,3	-	-	N177-M6
------	---	---	------	------	-------------	---	---	---------

## OLEO MAC

250(A/AS)-251(SUPER)- 252-254-264STANDARD- 350-355

3/8"	7	-	28,5	68,9	C=14,9	-	-	045-A7
------	---	---	------	------	--------	---	---	--------

.325	8	-	28,5	68,9	C=14,9	-	-	045-L8
------	---	---	------	------	--------	---	---	--------

260-261-271-272-280-281-284-400-460AS-461-480AS-481-482-484

3/8"	8	N	31,4	78,4	C=18,9 D15,5	-	-	N262-A8
------	---	---	------	------	--------------	---	---	---------

264 DELUXE

3/8"	7	-	27,9	68,6	C=13,9	-	3/8-7-1	-
------	---	---	------	------	--------	---	---------	---

## PARTNER

365-405

.325	7	N	27,2	63,1	C=13,0	266-24	325-7-2	-
------	---	---	------	------	--------	--------	---------	---

400-500-5000-P48-P49

.325	7	N	26,5	69,0	C=15,7 D=13,0	N110-24	325-7-2	-
------	---	---	------	------	---------------	---------	---------	---

.325	8	N	26,5	69,0	C=15,7 D=13,0	N110-25	325-8-2	-
------	---	---	------	------	---------------	---------	---------	---

MINI P (A)/2/3-MINI 22-330-350-1612-1612-1614-1616

3/8"LP	6	N	22,1	58,3	C=12,7 D=10,3	-	-	N217-M6
--------	---	---	------	------	---------------	---	---	---------

R16/17/18/19/20/21/240/720/421T-F55/65-P70-417-517-S50/55/65-7000

3/8"	7	N	37,4	73,8	C=18,0 D=14,5	N197-11	3/8-7-1	-
------	---	---	------	------	---------------	---------	---------	---

R30/35/40/435/440-P18/85/100

3/8"	7	N	36,1	78,5	C=17,9 D=14,2	N198-11	3/8-7-1	-
------	---	---	------	------	---------------	---------	---------	---

.404	7	N	36,1	78,5	C=17,9 D=14,2	N197-13	400-7-1	-
------	---	---	------	------	---------------	---------	---------	---

## SHINDAIWA

305-345-346-350-355

3/8"	7	-	31,2	68,1	C=13,0	-	-	242-M7
------	---	---	------	------	--------	---	---	--------

350-405-406-407-410-415-416-440-450-451-480-485-500

.325	7	-	32,7	67,9	C=13,0	-	-	240-L7
------	---	---	------	------	--------	---	---	--------

400-488

.325	7	-	30,0	71,7	C=13,0	-	325-7-2	-
------	---	---	------	------	--------	---	---------	---

550-575-580-680-685-695

3/8"	7	-	31,2	78,0	C=17,0	-	3/8-7-1	-
------	---	---	------	------	--------	---	---------	---

3/8"	7	-	31,2	78,0	C=17,0	-	-	244-A7
------	---	---	------	------	--------	---	---	--------

## SKILL

1620-1622-1624-1634-1636

3/8"	6	B	25,7	63,1	C=13,6 D=10,3	-	-	B224-M6
------	---	---	------	------	---------------	---	---	---------

1635 - 1636U

3/8" LP	6	N	22,1	58,3	C=12,7 D=10,3	-	-	B225-M6
---------	---	---	------	------	---------------	---	---	---------

310-944-1600/1/2/3-1610/1/2 ELECTRIC/3/4/6- 1700/6/12

3/8"LP	6	N	22,1	58,3	C=12,7 D=10,3	-	-	N217-M6
--------	---	---	------	------	---------------	---	---	---------

# Kædehjul og Ringe



DRIVHJUL



KÆDERING



DRIVHJUL

## STIHL

<b>017-021-023-025</b>									
.325	7	-	28,8	65,3	C=12,8	084-24	325-7-2	-	
<b>017-021-023-025</b>									
.325	8	-	28,8	65,3	C=12,8	-	325-8-2	-	
3/8"LP	6	N	28,8	65,3	C=12,8	-	-	084-M6	
<b>024-026 (after n° X25809074)</b>									
.325	7	N	28,8	69,5	C=12,8	085-24	325-7-2	-	
.325	8	-	28,8	69,5	C=12,8	-	325-8-2	-	
.325	7	-	23,0	72,0	C=12,8	191-24	325-7-2	-	
<b>024-026 ( before n° X25809074) NEW</b>									
.325	7	N	38,1	68,8	C=12,8	-	-	190-L7	
<b>028 (after n° 8991531)</b>									
.325	7	N	38,1	68,8	C=12,8	-	-	190-L7	
<b>030-031-032-040-041 (after n° 5664891)</b>									
3/8"	7	-	30,7	68,8	C=14,8	183-11	3/8-7-1	-	
<b>038 (na nr. / après n° 8421500)</b>									
3/8"	7	-	41,6	71,1	C=15,9	-	-	192-A7	
<b>041 (AV)- 041 AVE (sprocket without holes for grease pump) ( before n° 5664891)</b>									
3/8"	7	-	28,5	72,8	C=14,8	045-11	3/8-7-1	045-A7	
<b>044-046</b>									
3/8"	7	N	28,7	76,1	C=15,9	-	3/8-7-1	-	
3/8"	8	-	28,7	76,1	C=15,9	-	3/8-8-1	-	
<b>050-051-075-076</b>									
.404	7	-	35,3	85,6	C=17,0	184-13	404-7-1	-	
<b>064-066</b>									
3/8"	7	-	33,0	81,7	C=15,9	082-11	3/8-7-1	-	
.404	7	-	40,7	78,1	C=18,0	082-13	404-7-1	-	
<b>070-06(S)- CONTRA</b>									
.404	7	-	40,7	78,1	C=18,0	185-13	404-7-1	-	
<b>084</b>									
.404	7	-	34,0	86,7	C=17,0	187,13	404-7-1	-	
<b>TANAKA</b>									
<b>351-356-370-ECS415</b>									
3/8"LP	6	N	23,7	65,5	C=13,0	-	-	400-M6	
<b>ECV 5501</b>									
.325	7	N	26,5	69,0	C=15,7 D=13,0	N110-24	325-7-2	-	
.325	8	N	26,5	69,0	C=15,7 D=13,0	N110-25	325-8-2	-	