

# **OZAKI**

## **Sværd og Kæder**

**Et professionelt program af Sværd og Kæder  
– designet specielt til at klare de hårdeste  
påvirkninger.**

AEG	Længde					Led	GI nr.	Bestillingsnr
	cm	tommer					2503 +	
KES35	30	12	3/8 LP	0,050	1,3	45	ZA 30	25031702095
KS30, KS35	35	14	3/8 LP	0,050	1,3	52	ZA 35	25031702096
KS40	40	16	3/8 LP	0,050	1,3	57	ZA 40	25031702097

ALKO								
E1200, 1400E, 1500E, 2000, 2300	30	12	3/8 LP	0,050	1,3	45	ZA 30	25031702095
E125, 25A, KS, KSB	35	14	3/8 LP	0,050	1,3	52	ZA 35	25031702096
KE4000, KE3500, VARIO	40	16	3/8 LP	0,050	1,3	57	ZA 40	25031702097
KB5000	40	16	0,325	0,050	1,3	66	J 40	25031707808
	45	18	0,325	0,050	1,3	72	J 45	25031707809
3400	45	18	3/8	0,050	1,3	66	ZF 45	25031707366
	50	20	3/8	0,050	1,3	70	ZF 50	25031707367

BLACK & DECKER								
CS30, CS35, DN400, DN401,	30	12	3/8 LP	0,050	1,3	44	C 30	25031702101
DN402, DN404, DN412, DN416	35	14	3/8 LP	0,050	1,3	49	C 35	25031702102
GK425, GK330, GK310, GK320,	40	16	3/8 LP	0,050	1,3	56	C 40	25031702103
m/flere.								

BOSCH								
1586,7 1586,8 AKE30B, -35B,	30	12	3/8 LP	0,050	1,3	45	ZA 30	25031702095
40B, JKE35BC, 40BC, PKE25	35	14	3/8 LP	0,050	1,3	52	ZA 35	25031702096
PKE30B, 35B, 40	40	16	3/8 LP	0,050	1,3	57	ZA 40	25031702097

DOLMAR								
ES152A-162A-172A, PS-34,3300TH	30	12	3/8 LP	0,050	1,3	45	ZA 30	25031702095
,330,340,341,344,400,401,33,100,	35	14	3/8 LP	0,050	1,3	52	ZA 35	25031702096
102,103,105,108	40	16	3/8 LP	0,050	1,3	57	ZA 40	25031702097
111,115I	38	15	0,325	0,058	1,5	64	K 38	25031702115
	40	16	0,325	0,058	1,5	66	K 40	25031702116
	45	18	0,325	0,058	1,5	72	K 45	25031702117
112, 113, 114, 116, ES-1800	38	15	0,325	0,058	1,5	64	K 38	25031702115
	45	18	0,325	0,058	1,5	72	K 45	25031702117
PS6400, PS7300, PS7900	45	18	0,325	0,058	1,5	68	T 45	25031702113
	50	20	0,325	0,058	1,5	72	T 50	25031702114

ECHO									
CS- 285EVL-290EVL-300EVL-280E	30	12	3/8 LP	0,050	1,3	45	ZA 30	25031702095	
302, 315, 320EVL, 328, 330EVL,	35	14	3/8 LP	0,050	1,3	52	ZA 35	25031702096	
360EVL, E155, 2800, 2900, 2000	40	16	3/8 LP	0,050	1,3	57	ZA 40	25031702097	
3000, 3050, 3400, 3450, 4400,									
2600, 3000, 3400, 3050, 3500									
ECS150, ECS1850FT									
CS- 3600, 360EVL, 4000, 400EVL	38	15	0,325	0,058	1,5	64	P 38	25031702118	
	4010, 440EVL, 4500, 4510, 4600	40	16	0,325	0,058	1,5	66	P 40	25031702119
	4610, 5000, 4400, 4200	45	18	0,325	0,058	1,5	72	P 45	25031702120
CS-60S, 451VL, 452VL, 500EVL,	45	18	3/8	0,050	1,3	64	ZF 45	25031707366	
	500VL, 510EVL, 550EVL, 600EVL	50	20	3/8	0,050	1,3	70	ZF 50	25031707367
602VL, 610EVL, 650EVL, 660EVL									

HUSQVARNA									
33,36,40,41,42,44,45,49,50,51	38	15	0,325	0,058	1,5	64	K 38	25031702115	
55, E1400, E1600, EL16, 242XP	40	16	0,325	0,058	1,5	66	K 40	25031702116	
EL1200, 136, 141, 340, 345, 346,	45	18	0,325	0,058	1,5	72	K 45	25031702117	
350, 351									
133, 234, 238, 242, 246, 340, EL16	38	15	0,325	0,058	1,5	64	K 38	25031702115	
	EL1400, EL1500, EL1600, EL1200	40	16	0,325	0,058	1,5	66	K 40	25031702116
	444, 136, 141	45	18	0,325	0,058	1,5	72	K 45	25031702117
154, 254, 257, 262, 362, 357, 359	38	15	0,325	0,058	1,5	64	K 38	25031702115	
	40	16	0,325	0,058	1,5	66	K 40	25031702116	
	45	18	0,325	0,058	1,5	72	K 45	25031702117	

	Længde					Led	GI nr.	Bestillingsnr
	cm	tommer					2503 +	
<b>HUSQVARNA (fortsat)</b>								
162,61,181,2100,2100,266, 268,272,281,285,288,365 371,394,298,380,480,65,66,77, 372,385	38	15	3/8	0,058	1,5	56	T 38	25031702828
	40	16	3/8	0,058	1,5	60	T 40	25031702111
	43	17	3/8	0,058	1,5	64	T 43	25031702112
	45	18	3/8	0,058	1,5	68	T 45	25031702113
	50	20	3/8	0,058	1,5	72	T 50	25031702114
	55	22	3/8	0,058	1,5	76		
	60	24	3/8	0,058	1,5	84		
3120,395	38	15	3/8	0,058	1,5	56	T 38	25031702828
	40	16	3/8	0,058	1,5	60	T 40	25031702111
	43	17	3/8	0,058	1,5	64	T 43	25031702112
	45	18	3/8	0,058	1,5	68	T 45	25031702113
	50	20	3/8	0,058	1,5	72	T 50	25031702114
	55	22	3/8	0,058	1,5	76		
	60	24	3/8	0,058	1,5	84		

<b>JONSERED</b>								
2033TH	30	12	3/8 LP	0,050	1,3	45	ZA 30	25031702095
	35	14	3/8 LP	0,050	1,3	52	ZA 35	25031702096
	40	16	3/8 LP	0,050	1,3	57	ZA 40	25031702097
EL40,EL1200,45E,49SP, 50,2014 2015,2016,2012,51,370,380,410, 420,435,450,451,45,451EVS,452 490,455,510,520,525,535,590,2012 2014,2015,2016,2036,2040,2041, 2045,2149,2050,2051,2054,2055, 2150,2145,2141,2152,2137	38	15	0,325	,058	1,5	64	K 38	25031702115
	40	16	0,325	,058	1,5	66	K 40	25031702116
	45	18	0,325	,058	1,5	72	K 45	25031702117
2063,2163,2159,2165	38	15	0,325	,058	1,5	64	K 38	25031702115
	40	16	0,325	,058	1,5	66	K 40	25031702116
	45	18	0,325	,058	1,5	72	K 45	25031702117
625,630,630SUPER,670,2077,2083 2094,2095,2065,2071,2171,2165, 2186,820/830,920/930	38	15	3/8	0,058	1,5	56	T 38	25031702828
	40	16	3/8	0,058	1,5	60	T 40	25031702111
	43	17	3/8	0,058	1,5	64	T 43	25031702112
	45	18	3/8	0,058	1,5	68	T 45	25031702113
	50	20	3/8	0,058	1,5	72	T 50	25031702114
	55	22	3/8	0,058	1,5	76		
	60	24	3/8	0,058	1,5	84		
60,62,66,70,75,80,90,601,621, 751,801,820,830,910E,920,930	40	16	3/8	0,058	1,5	60	S 40	25031702121
	45	18	3/8	0,058	1,5	68	S 45	25031702122
	50	20	3/8	0,058	1,5	72	S 50	25031702123

<b>MAKITA</b>								
DCS- 330S,350,390,400,380,300 340,341,401,UC-3000,3500,4000	30	12	3/8 LP	0,050	1,3	45	ZA 30	25031702095
	35	14	3/8 LP	0,050	1,3	52	ZA 35	25031702096
	40	16	3/8 LP	0,050	1,3	57	ZA 40	25031702097
DCS430,520,4300I,5200I,430 520,4300I	38	15	0,325	,058	1,5	64	K 38	25031702115
	40	16	0,325	,058	1,5	66	K 40	25031702116
	45	18	0,325	,058	1,5	72	K 45	25031702117
DCS- 6400,7300,7900	38	16	3/8	0,058	1,5	60	T 38	25031702828
	45	18	3/8	0,058	1,5	68	T 45	25031702113
	50	20	3/8	0,058	1,5	72	T 50	25031702114
	55	22	3/8	0,058	1,5	76		
	60	24	3/8	0,058	1,5	84		

	Længde					Led	GI nr.	Bestillingsnr
	cm	tommer					2503 +	
<b>McCULLOCH</b>								
474,484,735,C180,MAC120, MAC130,MM30,MM35,PM36, PM-310,320,330,340,360,364,370 380,470,480,510,400,6,730,484, EMAC1040,MAC940, MINI MAC, 3214/6,3516/8	30	12	3/8 LP	0,050	1,3	44	C 30	25031702101
	35	14	3/8 LP	0,050	1,3	50	C 35	25031702102
	40	16	3/8 LP	0,050	1,3	55	C 40	25031702103
PM-394-PM494-MAC930,MAC935, MAC120, 14A7S, EM16, 10,12,14,16	30	12	3/8 LP	0,050	1,3	44	C 30	25031702101
	35	14	3/8 LP	0,050	1,3	50	C 35	25031702102
	40	16	3/8 LP	0,050	1,3	55	C 40	25031702103
3500,400P,TITAN35-40,PM38-40-46 TITAN41-46, 4600,4700,4900,5000 MAC950,960,970,300,050,006 PROMAC51,55,60,70	40	16	0,325	0,050	1,3	66	J 40	25031707808
	45	18	0,325	0,050	1,3	72	J 45	25031707809
	40	16	3/8	0,058	1,5	60	S 40	25031702121
	45	18	3/8	0,058	1,5	68	S 45	25031702122
	50	20	3/8	0,058	1,5	72	S 50	25031702123


<b>METABO</b>								
KT1530	38	15	0,325	0,058	1,5	64	K 38	25031702115
5338	30	12	3/8 LP	0,050	1,3	44	G 30	25031702104
	35	14	3/8 LP	0,050	1,3	50	G 35	25031702105
	40	16	3/8 LP	0,050	1,3	55	G 40	25031702106

<b>PARTNER</b>								
1601,1602,1612,1613,1614, 1616,1618	35	14	3/8 LP	0,050	1,3	52	D 35	25031702107
	40	16	3/8 LP	0,050	1,3	56	D 40	25031702108
330,335,340,345,360,365,385 395,351,370,390,420,350	30	12	3/8 LP	0,050	1,3	45	ZA30	25031702095
	35	14	3/8 LP	0,050	1,3	52	ZA35	25031702096
	40	16	3/8 LP	0,050	1,3	56	ZA40	25031702097
360,365,400,405,450,465,495, 510,540,500,545,P500,P5000, P5500, 1200EL,1400EL,1450,1500, 1650,410,460,510	38	15	0,325	,058	1,5	64	K 38	25031702115
	40	16	0,325	,058	1,5	66	K 40	25031702116
	45	18	0,325	,058	1,5	72	K 45	25031702117
660,P7700,710	40	16	3/8	0,058	1,5	60	T 40	25031702111
	45	18	3/8	0,058	1,5	68	T 45	25031702113
	50	20	3/8	0,058	1,5	72	T 50	25031702114
	55	22	3/8	0,058	1,5	76		
	60	24	3/8	0,058	1,5	84		

<b>SOLO</b>								
613	30	12	3/8 LP	0,050	1,3	45	ZA30	25031702095
	35	14	3/8 LP	0,050	1,3	52	ZA35	25031702096
	40	16	3/8 LP	0,050	1,3	56	ZA40	25031702097
639,641,644,650,645,647,651,654	38	15	0,325	,058	1,5	64	K 38	25031702115
	40	16	0,325	,058	1,5	66	K 40	25031702116
	45	18	0,325	,058	1,5	72	K 45	25031702117
662,667,670,680,690,694	38	15	3/8	0,058	1,5	56	T 38	25031702828
	40	16	3/8	0,058	1,5	60	T 40	25031702111
	43	17	3/8	0,058	1,5	64	T 43	25031702112
	45	18	3/8	0,058	1,5	68	T 45	25031702113
	50	20	3/8	0,058	1,5	72	T 50	25031702114

<b>STIHL</b>								
009,010,011,018,0190,19T,020, 020T,021,023,025,E10,E14,E160, E180,MS200,MS200T,MS210 MS230,MS250,MS180	30	12	3/8 LP	0,050	1,3	44	G 30	25031702104
	35	14	3/8 LP	0,050	1,3	50	G 35	25031702105
	40	16	3/8 LP	0,050	1,3	55	G 40	25031702106
024,026,028, MS240,260,270,280	38	15	0,325	,063	1,6	62	R 38	25031703001
	40	16	0,325	,063	1,6	67	R 40	25031702109
	45	18	0,325	,063	1,6	74	R 45	25031702110
029,031,032,034,036,038,039,041 042,044,045,046,048,056,064,066 E15,E20,E220,MS-290,310,390, 340,360,440,460,640,660	40	16	3/8	,063	1,6	60	X 40	25031702124
	45	18	3/8	,063	1,6	66	X 45	25031702125
	50	20	3/8	,063	1,6	72	X 50	25031702126


	Længde					Led	Gl nr.	Bestillingsnr
	cm	tommer					2503 +	
<b>STIGA</b>								
SE1.6, SE1.8 SP340	30	12	3/8 LP	0,050	1,3	44	<b>G 30</b>	<b>25031702104</b>
	35	14	3/8 LP	0,050	1,3	50	<b>G 35</b>	<b>25031702105</b>
	40	16	3/8 LP	0,050	1,3	55	<b>G 40</b>	<b>25031702106</b>
SP340 MS240,260,270,280	38	15	0,325	,063	1,6	62	<b>R 38</b>	<b>25031703001</b>
	40	16	0,325	,063	1,6	67	<b>R 40</b>	<b>25031702109</b>
	45	18	0,325	,063	1,6	74	<b>R 45</b>	<b>25031702110</b>
029,031,032,034,036,038,039,041 042,044,045,046,048,056,064,066 E15,E20,E220,MS-290,310,390, 340,360,440,460,640,660	40	16	3/8	,063	1,6	60	<b>X 40</b>	<b>25031702124</b>
	45	18	3/8	,063	1,6	66	<b>X 45</b>	<b>25031702125</b>
	50	20	3/8	,063	1,6	72	<b>X 50</b>	<b>25031702126</b>



### ZA

AEG- Alpina- Bosch-Dolmar-Echo-Makita-Partner-Tanaka-Castor-  
Stiga-Husqvarna-Ikra-Jonsered-Ryobi


3/8"  
,050 Lopro



### C

Blach & Decker - McCulloch - Ryobi


3/8"  
,050



### ZB

Homelite


3/8"  
,050 Lopro



### D

Husqvarna - Jonsered - Partner


3/8"  
,050 Lopro



### K


Alpina - Dolmar - Homelite -Husqvarna -  
Jonsered - Makita - Oleomac -Partner -  
Solo - Echo - McCulloch

0,325  
0,058




**T**  
Husqvarna - Iseki - Dolmar - Partner  
Jonsered - Solo

3/8"  
0,058




**S**  
McCulloch - Jonsered - OleoMac

3/8"  
,058



**X**  
AEG - Stihl

3/8"  
0,063



**R**  
AEG - Stihl

,325  
,063